SUPPLIER DECLARATION OF CONFORMITY (SDoC)

In accordance with ISO/IEC 17050-1:2004

SDoC Identification Number¹: 18102016 Towel Rails											
Issuer details											
,	New Zealand manufactur	· '		Contact Address:							
Telephone: +64 9 8204001 New Zealand Company No. (if applicable): 1375302 Email Address: info@tbw.co.nz]	483A ROSEBANK ROAD AVONDALE, AUCKLAND 1026 PO BOX 19144, AVONDALE, AUCKLAND 1746							
Medium Risk Article – Details³ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable):											
TRANQUILLITY HEATED TOWEL RAILS – ALL MODELS (refer Model list 18102016 Models)											
The Medium Risk Article listed above, fully complies:											
		a above, rully	complies:								
	With cited standard(s), as listed ⁴ : Standard number and issue year: AS/NZS 60335.2.43:2005				Standard number and issue year: AS/NZS 60335.1;2002						
	nendment status:	incl Amend			Edition / Amendment status:		incl Amendments 1 to 4				
	Standard title:		iments 1 -2	Standard title:		inci Amendments 1 to 4					
Part 2.4	of Household & Sim 3 – Particular Requ vel Rails				Household and similar electrical appliances – Safety – Part 1: General requirements						
AS/NZS ZZ	AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No N/A										
OR Complies with the Conformity Cooperation Agreement ⁵ Yes No 🖂											
Names and addresses of any testing organisation or body											
Name(s):	0. 2011(0				1/25 HIGHBROOK DRIVE, EAST TAMAKI, AUCKLAND PO BOX 259-182 GREENMOUNT AUCKLAND 1730						
Name(s):	UNDERWRITER LABORATORIES	Address(es): 10 VANADIUM PLACE, PO BOX 9194, ADDINGTON 8243 CHRISTCHURCH				,					
Reference	Reference to relevant test reports/certification and the issue date that show how compliance is achieved										
	Standard(s) or document(s) used, to show how compliance with cited standard is achieved:				Report Certification or Document reference N°(s):	Issue dates(s):					
AS/NZS 60335.2.43:2005 (including Amendments 1-2) AS/NZS 60335.1:2002 (including Amendments 1 to 4)					Report No. 5891A	23rd August 2013					
BS EN 60335-2-43:2003 BS EN 60335-1:2002 (including 2 Amendments and 1 corrigendum)					Report No. 13666-01		19th May 2008				
	Reference to any management quality system involved: Additional information ⁶ : This SDOC needs to be read in conjunction with Model List ref # 18102016 Models										
Declaration	Declaration (signed for and on behalf of)										
Name and	Name and position as authorized by the issuer ⁷ :				Signature:						
PAUL FIELDING – MANAGING DIRECTOR Issuer Identification (as affixed to the article):					Mith						
tranquility bathroom collection					Date: 18th OCTOBER 2016						

Supplier Declaration of Conformity (SDoC)

In accordance with ISO/IEC 17050-1:2004

Notes for completion

- 1. Every declaration of conformity should be uniquely identified.
- 2. The responsible issuer must be unequivocally specified.
- 3. The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced-products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.
- 4. The cited standard is the applicable specific safety standard exactly as it is cited in <u>Schedule 4 of the Electricity (Safety)</u> <u>Regulations 2010</u> or AS/NZS 3820, at the date that the declaration is signed. Where a valid Approval exists for a product issued by an Australian State Regulator Office (only), a copy of the Approval Certificate maybe used as evidence of compliance with the alternative AS/NZS 3820.
- 5. This is for products imported and offered for sale under the explicit control of the China "Conformity Cooperation Agreement" such product will be marked in accordance with that agreement and NZ suppliers of such product should obtain documentary evidence to support any claim that a product is covered by the agreement. Warning a product offered for sale that is marked in accordance with the CCA, that is not actually covered by the CCA is illegal and subject to a fixed Infringement Fee fine.
- 6. Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.
- Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organisation.

Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

Additional information regarding the declaration

"Issuer Identification" as affixed to the article: this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

See <u>listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles</u>, on the Energy Safety website <u>www.energysafety.govt.nz</u>.

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

This completed form remains with the issuer as part of the documentation required as evidence of compliance DO NOT submit a copy of this form to Energy Safety unless specifically requested to do so.

	5 1 .	_								
Model	Product name	Туре	Rating	Brand						
Designer Range										
PSG	G Range - square; 600 x 800 x 115mm, 60W, 4 bars	Right	IP34	Tranquillity						
PSPC	Paper clip square - 400 x 1200 x 115mm, 80W, 4 bars	Right	IP34	Tranquillity						
PSS	S Range - square; 900 x 650 x 115mm, 60W, 5 bars	Right	IP34	Tranquillity						
Jersey Round										
ER3	Jersey round; 440 x 550 x 120mm, 3 bars, 30W	Multiconnect	IP34	Tranquillity						
ER6	Jersey round; 780 x 600 x 120mm, 6 bars, 60W Jersey round; 1200 x 600 x 120mm, 9 bars, 90W	Multiconnect Multiconnect	IP34	Tranquillity						
ER9	IP34	Tranquillity								
Jersey Square		T	T	T 1						
MS4	Jersey square; 500 x 620 x 120mm, 4 bars, 40W	Multiconnect	IP34	Tranquillity						
MS7	Jersey square; 920 x 620 x 120mm, 7 bars, 80W	Multiconnect	IP34	Tranquillity						
MS10	Jersey square; 1340 x 620 x 120mm, 10 bars, 110W	Multiconnect	IP34	Tranquillity						
Manhattan Curved Round										
MC6	Manhattan curved round; 700 x 620 x 150mm, 6 bars, 60W	Multiconnect	IP34	Tranquillity						
MC9	Manhattan curved round; 940 x 620 x 150mm, 9 bars, 90W	Multiconnect	IP34	Tranquillity						
MC12	Manhattan curved round; 1180 x 620 x 150mm, 12 bars, 120W	Multiconnect	IP34	Tranquillity						
Platino Rectangular										
PRE56	Platino rectangular; 680 x 600 x 120mm, 5 bars, 50W	Multiconnect	IP34	Tranquillity						
PRE58	Platino rectangular; 680 x 850 x 120mm, 5 bars, 70W	Multiconnect	IP34	Tranquillity						
PRE8	Platino rectangular; 1100 x 600 x 120mm, 8 bars, 80W	Multiconnect	IP34	Tranquillity						
Single bars - rou	and and square									
PRB45	Single bar - round tube, 450mm x 110mm, 9W	Right	IP34	Tranquillity						
PRB60	Single bar - round tube, 600mm x 110mm, 14W	Right	IP34	Tranquillity						
PRB85	Single bar - round tube, 850mm x 110mm, 18W	Right	IP34	Tranquillity						
PSB45	Single bar - square tube, 450mm x 110mm, 9W	Right	IP34	Tranquillity						
PSB60	Single bar - square tube, 600mm x 110mm, 14W	Right	IP34	Tranquillity						
PSB85	Single bar - square tube, 850mm x 110mm, 18W	Right	IP34	Tranquillity						
Ensuite Round										
MENR7	Ensuite round; 920 x 450 x 120mm, 7 bars, 60W	Multiconnect	IP34	Tranquillity						
MENR10	Ensuite round; 1340 x 450 x 120mm, 10 bars, 80W	Multiconnect	IP34	Tranquillity						
Premium Range - Round										
HTR-TR1451	Premium Round; 850 x 510 x 120mm, 14 bars, 110W	Multiconnect	IP34	Tranquillity						
HTR-TR1470	Premium Round; 850 x 700 x 120mm, 14 bars, 150W	Multiconnect	IP34	Tranquillity						
HTR-TR1851	Premium Round; 1150 x 510 x 120mm , 18 bars, 150W	Multiconnect	IP34	Tranquillity						
HTR-TR1870	Premium Round; 1150 x 700 x 120mm, 18 bars, 200W	Multiconnect	IP34	Tranquillity						
HTR-TR2651	Premium Round; 1500 x 510x 120mm , 26 bars, 200W	Multiconnect	IP34	Tranquillity						
HTR-TR2670	Premium Round; 1500 x 700 x 120mm , 26 bars, 280W	Multiconnect	IP34	Tranquillity						
Premium Range	- Square	•	•							
HTR-TS1451	Premium Square; 850 x 510 x 120mm , 14 bars, 110W	Multiconnect	IP34	Tranquillity						
HTR-TS1470	Premium Square; 850 x 700 x 120mm , 14 bars, 150W	Multiconnect	IP34	Tranquillity						
HTR-TS1851	Premium Square; 1150 x 510 x 120mm , 18 bars, 150W	Multiconnect	IP34	Tranquillity						
HTR-TS1870	Premium Square; 1150 x 700 x 120mm , 18 bars, 200W	Multiconnect	IP34	Tranquillity						
HTR-TS2651	Premium Square; 1500 x 510 x 120mm , 26 bars, 200W	Multiconnect	IP34	Tranquillity						
HTR-TS2670	Premium Square; 1500 x 700 x 120mm , 26 bars, 280W	Multiconnect	IP34	Tranquillity						
Executive Range - Round										
HTR-TR0601	Executive round; 680 x 520 x 120mm, 6 bars, 50W	Multiconnect	IP34	Tranquillity						
HTR-TR0602	Executive round; 680 x 850 x 120mm, 6 bars, 80W	Multiconnect	IP34	Tranquillity						
HTR-TR0801	Executive round; 920 x 600 x 120mm, 8 bars, 80W	Multiconnect	IP34	Tranquillity						
HTR-TR1101	Executive round; 1280 x 600 x 120mm, 11 bars, 110W	Multiconnect	IP34	Tranquillity						
Executive Range - Square										
HTR-TS0601	Executive square; 680 x 520 x 120mm, 6 bars, 50W	Multiconnect	IP34	Tranquillity						
HTR-TS0602	Executive square; 680 x 850 x 120mm, 6 bars, 80W	Multiconnect	IP34	Tranquillity						
HTR-TS0801	Executive square; 920 x 600 x 120mm, 8 bars, 80W	Multiconnect	IP34	Tranquillity						
HTR-TS1101	Executive square; 1280 x 600 x 120mm, 11 bars, 110W	Multiconnect	IP34	Tranquillity						
1111/-121101	LACCAGIVE 394411E, 1200 A 000 A 12011111, 11 Dais, 11011	ivialticonnect	11 34	Tranquinity						